

Message

---

**From:** Ottinger, Elizabeth [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=EA382AEBBC957496A9130124D9CF44C7C-EOTTINGE]  
**Sent:** 11/24/2020 1:54:05 PM  
**To:** Paul Hlavinka -MDE- [paul.hlavinka@maryland.gov]  
**Subject:** RE: Appreciate an update on 20SW

Hey Paul,

Sorry I was out of the office there a few days so I'm just getting your message this morning. I hope to have your review completed in the next couple weeks. The review will most likely be completed, not starting, by Dec. 15! I'm out of the office most of this week for the holiday, but will get to it once I return. I appreciate your patience and understanding.

Happy Thanksgiving!

Liz

**From:** Paul Hlavinka -MDE- <paul.hlavinka@maryland.gov>  
**Sent:** Friday, November 20, 2020 8:42 AM  
**To:** Ottinger, Elizabeth <Ottinger.Elizabeth@epa.gov>  
**Subject:** Appreciate an update on 20SW

I have a meeting with management on Monday and would appreciate some kind of update to let them know where the review is at...even if the update is that you cannot start looking at it until like Dec 15. I think we have addressed all the concerns...so I am hopeful that our review will be easy.

--

Email Updates

[Click here](#) to subscribe to an email newsletter providing updates regarding MDE's general discharge permits.

**Paul Hlavinka**  
Chief, Industrial Stormwater Permits Division  
Water and Science Administration  
Maryland Department of the Environment  
1800 Washington Boulevard  
Baltimore, Maryland 21230  
[paul.hlavinka@maryland.gov](mailto:paul.hlavinka@maryland.gov)  
410-537-3631 (O)  
[Website](#) | [Facebook](#) | [Twitter](#)

[Click here](#) to complete a three question customer experience survey.

[Click here](#) to complete a three question customer experience survey.